Shenzhen XingKeChuang Technology Co., Ltd.

86-0755-33523599 86-0755-33515410
http://www.sz-xkc.com 48

XKC-Y28-NO/NC/RS485 [illegible] D≥11MM [illegible] RS485 [illegible]

1.XKC-Y28-NO/NC/RS485 [illegible] D≥11MM [illegible]

2. [illegible]

3. [illegible]

4. [illegible]

5. [illegible] 5V,12V,24V [illegible]

6. [illegible] 20mm [illegible]

7. [illegible] 5V,12V,24V [illegible]

[illegible] IC [illegible]

q y Z ㄡ y ʰ ɓ ᾔ ỷ ῶ ɓ ᾔ ỷ ٩ ㄡ q y Z ˀ Ḿ ᵾ

├ ƥ y Z ɑ ɀ ɻ y Z ʒ Ɽ* Ẃ א ع

y Z ɑ ˡ ɤ Ą Ỉ ↨ ㄱ ǯ ᵑ ɻ ˡ ɤ Ő ص Ë Ṿ ㄱ ǯ ɻ o ˡ Ḡ Ł ή˜ ㎢ ő ᵾ ٣ ᵾ Ɽ ㎢

ẽ φ ₅ ⅄ ˠ ˝ ˍ Ẉ Ɋ υ ỷ ʒ و ɻ Ļ ʌ ɻ ớ ǐ ˆ Ḅ ᵑ ᵾ Ɽ ɑ ă ㎢ ㄱ ǯ ɓ ㅏ ㄡ ㄱ Ỉ

ㄱ PC/PVC ㄱ ↨ ㎢ ㄱ ǯ ㄱ € Ỉ ㄱ ㄴ ᾶ Ę ʜ ᵀ ɑ ă ㎢ ㄱ ǯ

ɓ ᾔ ỷ ɔ `

Ḡ Ł Ḅ y ʜ ɑ ì ᵑ ɔ ◊ ɻ ⊐ ᴺ ɻ ˜ H ķ ʜ ᾶ ㄱ ǯ ㎢ ↨ ɔ ` س y Z Ỉ ɑ ɀ ɻ ɀ ɽ Ê ṇ

ʾ ჳ y ʜ i ሀ ㎢ ɔ ʜ ゲ H ȷ ʾ ჳ ɓ ᾔ ỷ ɯ ˚ ` H ȷ ʾ ჳ ɓ ᾔ ỷ ṇ

ƀ ʿ ɓ ᾔ ỷ θ ゲ H ȷ ʾ ჳ ɔ ʜ ㅿ ˜ Y ˜ ♂ Ḅ ∨ o ˡ

ƀ ʿ ɓ ᾔ ỷ θ ㄡ ˚ ` H ȷ ʾ ჳ ɔ ʜ ㅿ ˜ Y ˜ ♂ Ḅ ŏ è o ˡ

灵敏度调节按钮

灵敏度

减应片



ʌ ɔ ʜ NC ᴘ ɾ Ṫ ɔ ת

1. Ẹ س ɻ ì VCC`H

ω y Ẓ `H ʌ ɔ ʜ ɮ ᵀ ʌ ɔ ʜ NC ᴘ Ă Â

≡ y Ẓ `H ʌ ɔ ʜ Ă Â ʌ ɔ ʜ NC ᴘ Ṁ ᵑ ɾ VCC ɔ я

2. Ẹ س ɻ ì GND`H

ω y Ẓ `H ʌ ɔ ʜ ɮ ᵀ ʌ ɔ ʜ NC ᴘ Ă Â

≡ y Ẓ `H ʌ ɔ ʜ Ă Â ʌ ɔ ʜ NC ᴘ Ṁ ᵑ ɾ GND ɔ я



Л Ɔ н NO ᵽ ڑ Ṫ ⊃ т

1.Ẹ س ɻ ì VCC `H

õ y Ẓ `H Л Ɔ н ڑ ᵀ Л Ɔ н NO ᵽ Ṁ ٹ , ڑ VCC Ɔ я

≡ y Ẓ `H Л Ɔ н Ă Â Л Ɔ н NO ᵽ Ă Â

2.Ẹ س ɻ ì GND `H

õ y Ẓ `H Л Ɔ н ڑ ᵀ Л Ɔ н NO ᵽ Ṁ ٹ ڑ GND Ɔ я

≡ y Ẓ `H Л Ɔ н Ă Â Л Ɔ н NO ᵽ Ă Â

ɔ ʔ 86-0755-33523599 ˇ 86-0755-33515410
ɹ χ http://www.sz-xkc.com ʂ χ ■ Ụ Ḥ Ḡ À ⁷ Ƀ ᴗ̈ ś À ⁷ ˜ hsnɒlll

1	2	3	4	5	6	7	8
Ẹ ş ẋ ADR	ΐ .	ị è ᴴ ∀ Ḋ ş ẋ ≍ È `	ị è ᴴ ∀ Ḋ ş ẋ È `	ɒ	L ≠ ' ẑ N	CRC È `	CRC ≍ Ề `
FF	06	00	04	00	02	5C	14

ẑ N	ị è ᴴ ş ẋ	Ḋ	ѽ ك
1	0000	00 00	ɒ ' ɾ
2			ɣ Ẓ ژ ↑ ỗ ị è ᴴ OutPut
	0001	00 00	OutPut =





18 1

S